

Annex 6: Species List

The following list contains a number for species for which risks has been specified and which has been identified to have been connected with illegal logging.

The species list is not conclusive and the fact that a species is NOT on the list does not automatically mean that it is negligible risk.

Note: The list is ONLY for indicative purposes.

Scientific name	Trade name(s) and common name (s)	Region/Country(ies) of origin	Comments
<i>Abies guatemalensis</i> ; Syn.: <i>Abies tacanensis</i> , <i>Abies zapotekensis</i>	Guatemalan fir	Central America: Guatemala, Mexico, Honduras, El Salvador	CITES Appendix I
<i>Agathis</i> spp.	Adiangu, Almaciga, Almaciga daminara, Aninga, Aningat, Anteng, Badiangau, Bagtik, Bahos, Bendang, Bindang, Borneo kauri, Dadiangau, Dakua makadre, Damar, Damar minyak, Damur laut, Indian agathis, Kauri, Kauri pine, Ladiangau, Makan, Menghilan, Saleng, Sanum, Sarawak kauri, Titan, Tolong, Tsanum, Uli	Asia and SE Asia: Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Papua New Guinea, Philippines, Thailand, Vietnam	
<i>Aquilaria malaccensis</i>	Agarwood, Aloewood, Agallochum, Agallochum, Agila wood, Alim, Aloes wood, Eagle wood, Gaharu, Halim, Karas, Kareh, Kayu gaharu, Kekaras, Kepang, Mengkaras, Tabak, Tangkaras, Tengkaras, Tuikaras	Oceania and S.E. Asia Brunei, Burma, India, Indonesia, Malaysia, Philippines	CITES Appendix II
<i>Aquilaria</i> spp.	Agarwood	Oceania and S.E. Asia	CITES Appendix II
<i>Araucaria araucana</i>	Monkey Puzzle: <i>Araucaria</i> , Chile pine, Chilean pine, Monkey puzzle tree, Pehuen, Pilon, Pino araucaria	Latin America: Argentina, Chile	CITES appendix I
<i>Aucoumea klaineana</i>	Okoumé, Acoume, Angouma, Bengouma, Cape Lomez mahogany, Combogala, Gaboon, Gaboon mahogany, Gaboon wood, Koumi, M'goumi, Mofoumou, Moukoumi, N'goumi, N'koum, N'koumi, N'kumi, Ojoume, Okoume, Ongoumi, Uume, Zouga	AFRICA: Congo, Equatorial Guinea, Gabon	
<i>Baillonella toxisperma</i> ; Syn.: <i>Esenbeckia riedeliana</i> <i>Hellettamultiflora</i>	Moabi , adjap, ayap (CAM); ayap (GQ); dimpampi (RPC); m'foi (G); muamba jaune (ZRE); African pearwood (GB),Adjap, Adza, Ayap, Cungulo, Dimpampi, Djava, Djave, Kungulu, Moabi, Muabi, Mudia, Muyabi, Mwabi, Nduku wa dijondo, Ngulube, Njabi, Njari, Nyabi, Orere, Ulumba.	Africa: Angola, Cameroon, Congo, Equatorial Guinea, Gabon, Nigeria, Zaire	
<i>Balmea stormiae</i>	Ayuque	El Salvador, Guatemala and Mexico	CITES Appendix I
<i>Calophyllum brasiliense</i>	arary (PY); santa maria, palo de maria, leche maria, maria, (Jacareúba, palo de maria), Aceite, Aceite cachicamo, Aceite maria, Alfaro, Alfaro bella maria, Balsamaria, Bari, Baria, Barillo, Bella maria, Bintangor, Birma, Birmah, Brazil beauty leaf, Cachicamo, Calaba, Calabra, Calambuca, Came-marie, Cashicamo, Cedro cimarron, Cedro de patano, Ceite mario, Chijole, Chijole mahogany, Cojon, Crabwood, Dalemarie, Damage, Degame, Edaballi, False-mamey, Galba, Galba odorant,	Belize, Bolivia, Brazil, Colombia, Columbia, Cuba, Dominican Republic, Ecuador, French Guiana, Guatemala, Guyana, Haiti, Jamaica, Mexico, Panama, Peru, Puerto Rico	

	Guanandi, Guanandy, Guaya, Inglez, Jacare-uba, Jacareuba, Koelarie, Koerahara, Koerali, Koerli, Krassa, Kurahara, Lagarto-caspi, Landi, Landim, Laurac, Leche amarilla, Leche de mari, Leche de maria, Leche maria, Lorahara, Mani kwaha, Mara, Maria, Mario, Ocuje, Ocuje colarado, Palo de maria, Palo maria, Sakbaramte, Santa maria, Tzeltal, Vario, Wild calabash, Wild calebash, Wild-mamee, Yandiira	[US], Puerto Rico, United States, Venezuela	
Caryocar costaricense	Ajo	Colombia, Costa Rica, Panama, and Venezuela	CITES Appendix II
Cedrela odorata	Cedro (DE, CA, SA, BR), Central American cedar, Honuras cedar, Nicaragua cedar, Tabasco cedar (US, GB), cedar (JA), aluk (CR), calicedro (MEX), yalam (NIC), cedro amargo (YV), cédrat (FGU), red cedar (ANT), cédre rouge (FR), cedrela, cedro colorado, cedro real, cedro salteño (RA), (Cedro) Acajou rouge, Akuyari, Atoreb, Brazilian cedar, British Guiana cedar, British Honduras cedar, Cedar, Cedre rouge, Cedrela, Cedrela wood, Cedro, Cedro chino, Cedro hembra, Cedro macho, Cedro obscuro, Cedro oloroso, Cedro red, Cedro rojo, Central American cedar, Chujte, Cigar box cedar, Cigarbox cedar, Colorado cedro, Cuban cedar, Epi, Guyana cedar, Honduras cedar, lcte, Jamaican cedar, Kalantas, Kapere, Koperi, Kurama, Kurana, Mexican cedar, Nicaraguan cedar, Parank, Paranka, Red cedar, Rojas cedar, Rosas cedar, South American cedar, Spanish cedar, Tabasco cedar, Tiocuahuiltl, Trinidad cedar, Tropical cedar, West Indian cedar	Africa, Central America, Latin America, Oceania and S.E. Asia	CITES Appendix III Grown in plantations outside Latin America
Cedrelinga catenaeformis	Cedrorana, iacaica, paric , yacayac (BR), tornillo (PE), (Cedrorana, tornillo)	Central America, Latin America	
Chlorocardium rodiei; Syn.: Nectandra rodiei and Ocotea rodiei	Greenheart: bebeere, tugul (GUY), Demerara groenhart, sipiroe (SME), viruviru (YV), Demerara greenheart, black-, brown-, yellow-, white- (GB). Achiamandola, Bebeeree, Bebeeren, Bebeeru, Beberu, Beberubaum, Beberuboom, Beeberoe, Bibiju, Bibir, Bibira, Bibiri, Bibiro, Bibiroo, Bibiru, Bibirubaum, Biburu, Black greenheart, Brown greenheart, Bull forehead greenheart, Cipiri, Cogwood, Demerara, Demerara greenheart, Demerara groenhart, Detema, Geelhart, Greenheart, Groen hart, Groenhartboom, Gruenherzbaum, Grunherzbaum, Grunholz, Ispingo moena, Itauba, Itaube, Kevatuk, Kut, Kwatuk, Kwatuk sipu, Maratakka, Pakouli, Queenwood, Rora, Rora-ek, Sepeira, Sepeiro, Sepira, Sipira, Sipiri, Sipiroe, Sipu, Supeira, Torchwood, Tugui, Tugul, Viruviru, Wainop, White greenheart, Yellow greenheart	Bahamas, Brazil, Cuba, Dominican Republic, French Guiana, Guyana, Haiti, Jamaica, Suriname, Venezuela	
Dalbergia decipularis Matt. & Rizz.	Bahia Rosenholz (DE), sebastião de arruda, cego machado, pau rosa, p. cravo (BR), pinkwood (US), Brazilian tulip wood (US, GB), bois de rose (FR), (Bahia Rosenholz, tulipwood)		
Dalbergia latifolia Roxb.	Indian rosewood, sonokeling, (Indian rosewood, sonokeling)	India, Indonesia	
Dalbergia madagascariensis Vatke	Madagascar rosewood, (Madagascar rosewood)	Madagascar	
Dalbergia maritima Vig.	Grenadill (DE), African blackwood, Senegal ebony (GB, US), pau preto (MOC), babanus (SUD), mufunjo (EAU), mpingo (EAK), babanus, moghano, sibbe (ETH), atiyi (TG), (Madagascar bois de rose)	Africa	
Dalbergia melanoxylon Guill. & Perr.	(Grenadill, African blackwood)	Africa	

Dalbergia nigra Fr. All.	Rio Palisander, Rio Jacarandá, Brasilianisches Rosenholz (DE), palissandre Brésil, palissandre Rio (FR), Brazilian rosewood (GB), cabiúna, camboré, caviuna legitima, jacarandá, pau preto, urauna(BR), palissandro (IT), palisandro (ES), palissander Rio (NL), (Rio Palisander, Brazilian rosewood)	Africa	CITES Appendix I
Dalbergia retusa Hemsl.	cocobolo (DE, FR, NL, GB, CO, PA), granadillo (GUA, HON, MEX, NIC), ñambar, ñambar legítimo	Africa	
Dipteryx odorata	Cumarú, Tonka, Almendro, Baru, Barujo, Bois de coumarouna, Camarú, Charapilla, Comarre, Coumarouna, Cumarú, Cumarú amarelo, Cumarú da folha grande, Cumarú do Amazonas, Cumarú ebo, Cumarú roxo, Cumarut, Cumbari, Cunuru, Ebo, Faux gayac, Feurier, Gayac, Gayac de cayennee, Gayal, Gomorrow, Groot locus, Koemaroe, Kumarú, Male, Quamare, Sarrapia, Shihuahaco amarillo, Tonca bean, Tonka, Tonka gaiaie, Tonkebean, Tonquin bean	Latin America: Brazil, Colombia, Columbia, Costa Rica, French Guiana, Guyana, Honduras, Jamaica, Panama, Suriname, Venezuela	
Dipteryx panamensis	Almendro		CITES Appendix III
Entandrophragma angolense, Syn.: Swietenia angolensis, Entandrophragma rederi, and Entandrophragma septentrionale	African Mahogany : tiama (DE, CI, FR, ZRE, NL), edinam (DE, GH), gedu nohor, gedu lohor (GB, WAN), koupri, lokoa popo (CI), abenbegne (G), timbi (CAM), ipaki, longo, mukumi (RPC), mukuso, muyovou (EAU), kalungi, lifaki (ZRE), livuite (ANG), (Tiama). Abenbegne, Abeubegne, Acajou tiama, Acuminata, Akuk, Baeko, Baka-biraingui, Bodongo, Brown mahogany tiama, Budongo mahogany, Digbo, Dongomanguila, Dubo, Dukuma, Edinam, Egin-igedu, Entandrophragma mahogany, Esaka, Eyin igedu, Gedu lohor, Gedu noha, Gedu nohor, Ijebu, Ipaki, Jebu mahogany, Kahiguigo, Kalungi, Keguigo, Kikura, Kiluka, Krobra, Lifaki, Livuite, Lokobo, Lukru, Mukusu, Muyovu, Njilei, Ounabo, Penkwa, Tiama, Tiama-tiama, Timbi, Tshimaie tsitoke, Tshimaye blanc, Vovo, Zizeplehi, Zizia	Africa: Angola, Benin, Cameroon, Congo, Equatorial Guinea, Gabon, Ghana, Guinea, Ivory Coast, Kenya, Liberia, Nigeria, Sierra Leone, South Africa, Sudan, Togo, Uganda, Zaire	
Entandrophragma candollei, Syn.: Entandrophragma ferrugineum	Omu, kosipo (DE, CI, FR), boubousson rouge, vroudi (CI), heavy sapele, omu (GB, WAN), atom-assié, klatié (CAM), lifaki (ZRE), mpempe (RPC), assoré, ikwapobo (WAN), kossipo (NL), lifuko (ANG), penkwa (GH), Atom, Atom assie, Boubousson rouge, Candollei, Diamuni, Entandrophragma mahogany, Esaka, Heavy mahogany, Heavy sapele, Heavy sapelle, Impompo, Kosipo, Lifaki mpembe, Lifuco, Okpoloco, Omu, Penkwa akowaa, Penkwa, Penkwa-akowaa, Pepedom, Sapele-heavy, Tshimaie tshikunze, Tshimaye rouge, Unscented mahogany	Africa: Angola, Cameroon, Congo, Ghana, Guinea, Ivory Coast, Liberia, Nigeria, Zaire	
Entandrophragma cylindricum, Syn.: E. tomentosum, E. lebrunii	Sapelli (DE, FR, B), sapele, sapele mahogany (GB, WAN), sapeli Mahonie (NL), aboudikro (CI, FR, DE), bibitu, lotouhé, abitigbro, boubousson, pan (CI), penkwa (GH), agiekpogo, ubilesan, ukwekan (WAN), assié (CAM), lifaki (EAU), lifaki, libuyu, bobwe, m'boyoy (RCA), lifuti + livuite (ANG), (Sapeli)		
Entandrophragma cylindricum, Syn.: E. rufum, E. tomentosa	Sapelli (DE, FR, B), sapele, sapele mahogany (GB, WAN), sapeli Mahonie (NL), aboudikro (CI, FR, DE), bibitu, lotouhé, abitigbro, boubousson, pan (CI), penkwa (GH), agiekpogo, ubilesan, ukwekan (WAN), assié (CAM), lifaki (EAU), lifaki, libuyu, bobwe, m'boyoy (RCA), lifuti + livuite (ANG), (Sapeli) Aboudikro, Acajou sapelle, Assi, Assie sapelli, Atore, Bibitu, Botsife, Bubussu, Cedar, Dilolo, Gold Coast cedar, Kwabohoro, Liboyo, Libuyu, Lifaki, Lifari, Lifuti, Lotue, M'boyoy, Miovu, Muyovu, Odupon, Oweru, Penkua, Penkwa, Sapele, Sapele mahogany, Sapele wood, Sapeli, Sapelli, Scented mahogany, Tshimaye noir, Ubilesan, Undianuno, West African cedar	Africa: Angola, Benin, Cameroon, Central African Republic, Congo, Gabon, Ghana, Ivory Coast, Nigeria, Sierra Leone, South Africa, Togo, Uganda, Zaire	
Entandrophragma utile, Syn.: E. macrocarpa, E. roburoides,	Sipo (DE, CI, FR), assié (FR, CAM), utile (DE, GH, GB), bada, mébrou, zuiiri (CI), assi, ombolobolo, mouragalando, kos-kosi (G), efou-konkonti (GH), muyoyu (EAU), timbi, assang-assié (CAM), kalungi, m'vovo, tshimai rouge/noir (ZRE), akuk, ogipogo, ubilesan (WAN), momboyoy (RPC), njeli (WAL). (Sipo, utile). Abebay, Afrobrodiju, Akuk, Asseng assie, Assi, Assie, Bokoi, Budongo heavy	Africa: Angola, Cameroon, Congo, Equatorial Guinea, Gabon, Ghana, Ivory Coast, Liberia, Nigeria, Sierra Leone, South Africa, Uganda, Zaire	

thomasii	mahogany, Efuchyewee, Efu-konkonti, Efuobrodidwo, Efuodwe, Feather sapele, Kalungi, Kosi-kosi, Liboyo, Libuyu, M'vovo, Mebrou, Mfumbi, Mufumbi, Mufumbi mahogany, Muyovu, Okeong, Sapele mahogany, Sipo, Timbi, Tshimaie n'shibu, Tsimaeie tshibu, Undianuno, Utile		
Eperua spp.	Wallaba, Apa, Apazeiro, Bainha de espada, Bijhout, Bijlhout, Bioudou, Bois de sabre, Eperu, Eperua falcata, Espadeira, Ituri, Ituri wallaba, Itusi wallaba, Jacare copahiba, Jebaro, Jebaru-rana, Palo machete, Parewe, Parive, Pois sabre, Soft wallaba, Uapa, Uapa tabaco, Vouapa-tabaca, Walaba, Walaba ituri walaba, Wallaba, Wallabaholz, Wapa, Wapa gras, Wapa huileux, Wapa patouve, Water wallaba, White wallaba, Woapa, Woapa huileux, Wopa, Wouapa, Yoboko	Brazil, French Guiana, Guyana, Suriname, Venezuela	
Eusideroxylon zwageri	Belian / Ulin, Borneo ironwood, billian (GB); bilian, bois de fer (FR); belian, tambulian, im muk (MAL); belian, onglen, tulian, tebelian, ulin (RI); tambulian, sakan, biliran (RP), (Billian, ulin) Abuin, Balian, Belian, Belian bulch, Belian buloh, Belian griting, Belian kapur, Belian tembaga, Belian wi, Bilian, Billan, Billian, Boelian, Bois de fer de Borneo, Borneo eisenholz, Borneo ironwood, Borneo's ijzerhout, Borneo-jaritra, Borneosch ijzerhout, Bulian, Bulian rambai, Caju baelian, Ijzerhout, Im muk, Kajo taha, Kajo besi, Kayu besi, Ku an tin, Ku'an tin, Lampahoeng, Legno ferro del Borneo, Melangganai, Oelin, Onglen, Palembangs ijzerhout, Palo de hierro de Borneo, Sakian, Tadien, Tambulian, Tanoedlen, Tebelian, Telian, Terbelian, Tulian, Ulin, Yam muk	South East Asia Brunei, Indonesia, Malaysia, Philippines	
Fitzroya cupressoides	Alerce, Alerzholz, Fitzroy cypress, Lahuan, Patagonian cypress	Latin America: Argentina, Chile	
Fitzroya cupressoides	Alerce, Chilean false larch		CITES Appendix I
Gonystylus spp., Gonystylus bancanus (Miq.) Kurz, Syn.: G. miquelianus, G. bancanus, Aquillaria bancana Gonystylus macrophyllus Gonystylus warburgianus	Ramin (DE, GB, MAL, RI); ahmin, kaya garu, melawis, ramin telur (MAL); lanutanbagio (RP); garu, buaja (RI), (Ramin). Ainunura, Fungunigalo, Garu-buaja, Lanutan-bagio, Lanutan-bagyo, Latareko, Melawis, Nunura, Petata, Ramin, Ramin telur, Solomon Islands ramin	Oceania and SE Asia: Malaysia, Papua New Guinea, Philippines, Solomon Islands	
Guaiacum officinale	Commoner lignum vitae		CITES Appendix II
Guaiacum sanctum	Hollywood lignum vitae		CITES Appendix II
Guaiacum spp.	Lignum vitae, Pockholz	Central America: Bahamas, Columbia, Costa Rica, Cuba, Dominican Republic, El Salvador, Guatemala, Haiti, Jamaica, Mexico, Nicaragua, Panama, United States, Venezuela	
Guaiacum spp. (all species except those with earlier date in Appendix II)	Lignum vitae		CITES Appendix II
Guibourtia demeusei, Syn.:Copaifera	Bubinga (DE, GB, RPC, CAM); kevazingo (DE, G); essingang, noméle, okweni, owogn, simingan, (CAM); ovang (G); oveng (EGu); waka (RPC, ZRE); ebana, Afrikanisches Rosenholz, African	Africa: Cameroon, Central African Republic, Congo, Equatorial Guinea,	

demeusei Guibourtia pellegriniana; G. tessmannii Syn.: Copaifera tessmannii Harms.	rosewood, (Bubinga)	Gabon, Liberia, Nigeria, South Africa, Uganda, Zaire	
Guibourtia spp., Guibourtia demeusei, Guibourtia pellegriniana, Syn. Copaifera demeusei, C. laurentii	Bubinga : Essingang, Kevazingo, Ovang, Waka	Africa: Cameroon, Congo, Gabon, Nigeria	
Gyrinops spp.	Agarwood		CITES Appendix II
Hymenaea courbaril	Jatoba, Abati, Abati copal do Brasil, Abati timbary, Alga, Algarobo, Algarrobo, Animebaum, Arati, Arvore copal, Asucar-juain, Avati, Azucar huayo, Bati timbary, Bois de courabaril, Bois de courabil, Bois de courbaril, Bois de simire, Brazilian gum-copal tree, Cacachien, Cachien, Caguairan, Cannariboomb, Caouroubali, Caroubier, Caroubier de la Guyane, Cataqui-iamani, Chimidida, Cimir, Ciruelo, Coapinol, Coapinoloe, Colorado, Comer de arara, Copal, Copalier, Copalier d'Amerique, Copalier de Amerique, Copinol, Copinole, Corobore, Coubaril de savane, Courabil, Courabil hout, Courbaril, Courbaril de savane, Courbaril montagne, Courbaril plum, Courbarilhout, Cuapinol, Cuapinole, Cuapinoli, Cupainol, Curbaril, Diphyllle pois confiture, Diphyllle pois de confiture, Gaupinol, Gom anime boom, Gomme armimec, Guapinol, Guapinole, Gum-anime tree, Henschreckenbaum, Henschrenkenbaum, libiuva, Itaiba, Jassai, Jataby, Jatahy, Jatahy cafe, Jatahy peba, Jatahy roxa, Jatahy roxo, Jatai, Jatai monde, Jatai uba, Jatai-acu, Jataiba, Jataizinho, Jatany, Jatauba, Jatay, Jatei, Jatel, Jatoba, Jatoba de anta, Jatoba de porco, Jatoba roxa, Jatoba trapuca, Jatoba verdadeiro, Jatobs, Jatuba, Jengi kanda, Jetahy, Jetahy accu, Jetahy preta, Jetahy roxo, Jetai, Jetai de Pernambuco, Jetaiba, Jetaici, Jetay, Jetoba roxo, Jetui peba, Julchihout, Jupati, Jut, Jutaahy assu, Jutahy, Jutahy assu, Jutahy cafe, Jutahy catina, Jutahy catinga, Jutahy da varzea, Jutahy do campo, Jutahy do igapo, Jutahy miry, Jutahy peba, Jutahy pororoca, Jutahy roxo, Jutai, Jutai branco, Jutai cafe, Jutai catinga, Jutai da varzea, Jutai do campo, Jutai do igapo, Jutai grande, Jutai mirim, Jutai peba, Jutai pororoca, Jutai roxo, Jutai-acu, Jutany, Jutany de campo, Jutay branco, K'wannarri, Kakanjan boesoe, Karvanari, Kawaknalli, Kawanari, Kwanari, Leather-leaved locust, Leathery-leaved locust, Legno locusta, Locus, Locus semirie, Locusboom, Locust, Locust gum, Locustrier, Lokisi kaka, Lokisie, Loksi, Lokus, Lokustbaum, Marbre, Masaicaran, Moire, Nazareno, Nere, Not, Oleo de jatai, Oleo jatahy, Pacuy, Pak, Pakay, Palito, Palito colorado, Pampa estoraque, Pie de venado, Pois confiture, Quapinole, Quapinole jutahy, Quauhpinolli, Quebra machado, Rode locus, Rode rode locus, Semirie, Simiri, Simiri locust, Simirie, Sirari, South American locust, Spruikhaanboom, Stinking toe, Stinking-toe, Surinaamsch teakhout, Surixkra, Tema, Trapuca, Tsi-tsi-nau, Urapinol, West Indian locust, Westindisch teakhout, Westindsch teakhout, Yatayba, Yutachi, Yutahi, Yutahy, Yutayba yutahy	Latin America: Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Cuba, Dominican Republic, French Guiana, Guadelope [France], Guatemala, Guyana, Haiti, Honduras, Jamaica, Malaysia, Mexico, Peru, Philippines, Puerto Rico [US], Puerto Rico, Suriname, Trinidad and Tobago, Venezuela	
Intsia spp.	Merbau (MAL); malacca teak, mirabow, Moluccan ironwood (GB); ipil, kayu besi (RI); kwila, bendora (PNG); ipil, ipil laut, malaipil (RP); tat-takun (BUR); krakas prak (K); lumpho, lumpho thale (T); hintzy (RM), (Merbau). Aizella, Anglai, Borneo teak, Go nuoe, Hintzy, Ipil, Kwila, Lum-pho, Lumpha, Lumpho, Makhamong, Merbau, Merbau, Miraboo, Miraboo laut, Mirabow, Tat talun, Tat-talun, V'ula, Vesi	South East Asia & Oceania, Australia, Burma, Fiji [Polynesia], India, Indonesia, Malaysia, Papua New Guinea, Philippines, Thailand	
Khaya	African mahogany: Afrikanisches Mahagoni, Khaya (DE), Benin-, Lagos-mahagoni (WAN), Dubini-,	Africa	

anthotheca (syn. K. nyasica), Khaya grandifoliola, Khaya ivorensis, Khaya madagascariensis, Khaya senegalensis	Axim-, Accra-, Tacoradi mahagoni (GH), n'gollon, n'dola, Kap Lopez mahagoni (G), Grand Bassam mahagoni (CI), undianunu (ANG), acajou d'Afrique (FR), African mahagoni (GB), khaya (US), Douala mahonie (NL) Acajou, Acajou grandes feuilles, African mahogany, Akor, Akuk, Apenkwa, Appapayi, Asamogo, Bandoro, Benin mahogany, Big leaf mahogany, Bogu, Diala-iri, Digen, Diki, Dirinshi, Dubini, Dukru, Dukuma, Dumanami, Eri, Eri kire, Eri kiree, Gadeau, Gagaliga, Heavy African mahogany, Homraya, Khaya mahogany, Kruba, Krubna, Loukrou, Male, Mario, Munyama, Murraya, Obon, Odala, Oduben, Odupon, Oganwo, Ogwango, Ono, Senegal mahogany, Tiama-tiama, Tido, Trio, Upono, Wansanwa, Wausauwah		
Lophira alata	Azobé, Ekki, A koura, Aba, African oak, Akoga, Akogka, Akogo, Akpakpla, Asore, Azobe, Bakundu, Bankile, Belengbe, Bokoka, Bongossi, Bonkole, Eba, Ebba, Ekki, Eleba, Endui, Endwi, Enwan, Esire, Esore, Faboy, Gue, Hendui, Ipawhaw, Ironpost, K'deng, Kaku, Kekrefunde, Kokank, Kotublassu, Kunu, Kyere, Kyirafunti, Kyirebente, Lihos, Liku, Malah, Meni oil tree, N'goule, Namijin-kadai, Nghou ibenga, Ngokele, Nokue, Okikopom, Okoa, Okoga, Okoka, Okut, Oteng, Otugba, Ozobe, Parapara, Plu, Pone, Prenkebi, Red ironwood, Red oak, Umawerek, Umpenek, Yasua	Africa: Cameroon, Congo, Equatorial Guinea, Gabon, Ghana, Ivory Coast, Liberia, Nigeria, Sierra Leone, Zaire	
Milicia excelsa, Syn.: Chlorophora excelsa, Morus excelsa	Iroko (DE, FR, GB, NL, WAN), Kambala (G, RPC, ZRE), Odum (GH, CI), Abang, Bang (CAM), Amoreira (ANG), Chamfutu (MOC), Semli (WAL, LB), Rokko (WAN), Lusanga (ZRE), (Iroko, kambala)	Africa: Angola, Congo, Gambia, Ghana, Guinea, Ivory Coast, Liberia, Senegal, Sierra Leone	
Millettia laurentii	Wengé / Panga Panga, Anong, Awong, Awoung, Bokonge, Bwengu, Dikela, Kiboto, Mbotu, Mibotu, Monkonge, Mukonde mutshi, Mundambi, N'gondou, N'toka, N'toko, Nson-so, Nsou-so, Otogo, Palissandre du congo, Pallissandre, Tshikalakala, Wenge, Zai-wenge	AFRICA: Cameroon, Congo, Gabon, Mozambique, Tanzania, Zaire	
Millettia Stuhlmannii	Panga panga (DE, Eaf), jambire (MOC), mpande, partridge wood (EAT). Avong, Jambire, Mongoy, Mpande, Mpanga-mpanga, Panga panga, Partridge wood, Partridgewood, Umkuye, Wenge	Africa: Congo, Kenya, Mozambique, Tanzania, Zimbabwe	
Mora excelsa	Mora, Alcornoque, Belarbre, Black mora, King tree, Mahot rouge, Mora, Mora bucquia, Mora de gulayana, Mora de guyana, Mora peto, Mora-yek, Moraballi, Moraboekea, Morabukea, Morade-guyana, Moreira, Muro, Nato, Nato rojo, Palaloea, Parakaua, Perakaua, Peto, Peto prakowa, Pracuuba, Pracuuba branca, Pracuuba vermelha, Prakue, Red mora, Roode, Roode more, Torore, White mora, Witte mora	Brazil, Colombia, French Guiana, Guyana, Suriname, Trinidad and Tobago, Venezuela	
Palaquium hexandrum, Palaquium hispidum, Palaquium impressinervium, Palaquium maingayi, Palaquium obovatum, Palaquium regina-montium, Palaquium semaram, Palaquium sumatranum, Palaquium walsurifolium	nyatoh (MAL, RI, DE); chay (VN); pencil cedar, red planchonella (PNG); pali (IND); nato (RP); khanunnok (T); riam, jangka (MAL-Sar); hangkang, balam teruing puteh, balam masin, kayuanjung hutan, mayang, taban (MAL, RI); moordooke (AUS), (Nyatoh)	Australia, Malaysia, Papua New Guinea, Solomon Islands	
Peltogyne spp.	Purpleheart, Amarante, Amaranth, Barabu, Bois puurpre, Bois violet, Dastan, Ellongrypho, Guarabu, Koorooboelli, Kooroobovelli, Koroboreli, Koroborelli, Kouburelli, Kuraburelli, Kuruburelli, Lastan, Malako, Marado, Morado, Nazareno, Palo morado, Pao violeta, Pau roxo, Pelo morado, Purperhart,	Brazil, Chile, Costa Rica, French Guiana, Guyana, Haiti, Honduras, Mexico, Panama, Peru, Suriname,	

	Purpleheart, Rajado, Sacka, Saka, Sakavalli, Sapater, Sapatere, Tananeo, Violet wood, Violetwood, Zapatero	Trinidad and Tobago, Venezuela	
Pericopsis elata	Afromosia, Anyeran, Asamela, Assamela, Assemela, Awawai, Ayin, Baracara, Benin satinwood, Bohala, Bohalala, Bonsamdua, Devils tree, Egbi, Ejen, Golden afromosia, Jatobahy do igapo, Kokriki, Kokrodua, Mekoe, Mohole, Obang, Ole, Olel Pardo, Peonio, Redbark, Satinwood, Tento, Wahala, Yellow satinwood	West Arica: Cameroon, Congo, Ghana, Ivory Coast, Nigeria, Zaire	CITES Appx II
Pericopsis elata	Afromosia, African teak		CITES Appendix II
Pilgerodendron uviferum	Pilgerodendron		CITES Appendix I
Pinus koraiensis	Korean pine	Eastern Russia:, eastern Asia, in Manchuria in northeast China, Primorsky Krai and Khabarovsk Krai in the far east of Russia, Korea and central Japan	
Piptadenia macrocarpa Benth., Syn.: Anadenanthera macrocarpa (Benth.) Brenae.	Curupay; kurupa'y, kurupa'y kuru (PY); angico-preto, angico, angico-preto-rajado, angico-rajado, guarapiraca, (BR); cebil colorado, cebil moro, cebil (RA), (Kurupa'y kuru), Angico, Angico preto, Angico prieto, Angico-bravo, Angico-preto-rajado, Angico-rajado, Angico-vermelho, Cambui-ferro, Cebil, Cebil Colorado, Cebil moro, Curupay, Curupay ata, Curupay negro, Curupay-ata, Dark angico, Guarapiraca	Latin America: Argentina, Bolivia, Brazil, Paraguay, Peru	
Platymiscium pleiostachyum	Cristobal, Granadillo, Cachimbo		CITES Appendix II
Podocarpus neriifolius	Black pine podocarp		CITES Appendix III
Podocarpus parlatorei	Parlatores' podocarp, Monteromero		CITES Appendix I
Podophyllum hexandrum	Himalayan may-apple		CITES Appendix II
Prunus africana	African Cherry: Pygeum, Iron Wood, (Red) Stinkwood, African Plum, African Prune, African Cherry, Bitter Almond	Africa	
Pterocarpus santalinus	Red Sandalwood, Sanders , Rotes Sandelholz (DE); sandal rouge (FR); red sanders (GB, trade); sandalo rosso (IT); chandaman, panaka (IND).		
Shorea acuminata, Shorea dasyphylla, Shorea johorensis, Shorea lepidota, Shorea macroptera, Shorea parvifolia	Light red meranti, seraya, lauan (DE); seraya kalabu, kawang, seraya bunga, red seraya, obar Suluk, (MAL.Sab.); almon, mayapis, tangile, tiaong,rRed lauan (RP); melantai (MAL.Sar.); meranti bunga, red meranti, meranti merah (RI, (Light Red Meranti)	SE Asia	
Shorea acuminatissima, Shorea. Faguetiana, Shorea gibbosa,	Yellow meranti (MAL, Handel); yellow seraya (MAL-Sab); yellow lauan (RP); meranti kuning (RI); meranti damar hitam (MAL); selangan kuning, s. kacha (MAL-Sab), (Yellow meranti, meranti kuning)	SE Asia	

Shorea hopeifolia, Shorea multiflora,			
Shorea assamica, Shorea bracteolate, Shorea dealbata, Shorea hypochra, Shorea javanica, Shorea lamellate	White meranti (MAL, RI, Handel); meranti putih, kayu tahan (RI); melapi (MAL-Sab, RI-Kal); white lauan (RP); lumbor (K); khiem kha norng, takhian-sai, chai, pa-nong (T); bo-bo (VN)		
Shorea atrinervosa, Shorea brunnescens, Shorea crassa, Shorea exelliptica, Shorea foxworthyi, Shorea glauca, Shorea havilandii, Shorea laevis, Shorea leptoderma, Shorea maxwelliana, Shorea materialis, Shorea seminis, Shorea submontana, Shorea sumatrana, Shorea superba Sym.	Balau, bangkirai balau, selangan batu No. 1, - No. 2 (MAL, DE), Selangan batu tatuk, balau bukit, hitam, kumus hitam, laut, laut merah, sengkawang, damar laut (MAL), balau bunga, bangkirai, semantok lungkik (RI), yakal (RP), teng (T), (Balau, bangkirai)	SE Asia	
Shorea balangeran, Shorea collina, Shorea guiso, S. longipetala, Shorea kunstleri, Shorea ochrophloia.	Red balau (DE, MAL), gujio (RP), semayur (MAL.Sar.), belangeran (RI), selangan batu merah (MALSab./Sar.), (Red Balau)	SE Asia	
Shorea curtisii, Shorea hemsleyana, Shorea macrantha Brandi, Shorea pauciflora King, Shorea platyclados Shorea rugosa var. vuliginosa, Shorea singkawang	dark red meranti, seraya, lauan (DE); kawang, seraya bunga, red seraya, obar suluk (MAL.Sab.); mayapis, tangile, tiaong, red lauan, gujio (RP); meranti bunga, red meranti, meranti merah (RI); nemesu (MAL = S. pauciflora), (Dark Red Meranti)	SE Asia	
Shorea laevis	Bangkirai, balau, selangan batu No.1 (trade, MAL, RI), (Balau, bangkirai)	SE Asia	
Shorea leprosula	Meranti tembaga, tembaga, light red meranti (MAL), meranti merah (RI), (Meranti tembaga, tembaga	SE Asia	
Shorea ovata , Syn.: S. agsaboensis	meranti punai bukit, seraya punai bukit, dar red meranti, dark red seraya (MAL); mandirawan (RI, Sumatra), (Meranti punai bukit)	SE Asia	
Swietenia humilis	Pacific coast mahogany		CITES Appendix II
Swietenia macrophylla	Big leaf mahogany, Amerikanisches Mahagoni, echtes Mahagoni, Honduras-, Tabasco-, Nicaragua-	Latin America, Central America,	CITES Appendix III

	Mahagoni (DE); caoba (cAm), aguano (PA, PE, BR); orura (YV); zopilote (MEX); sapotón (SME); yulu (NIC), crura (BOL); acajou d'Amérique (FR), American mahogani, baywood (GB), broadleaf mahogany (US), (Echtes Mahagoni, true mahogany, caoba). Acajou, Acajou Amerique, Acajou d'Amérique, Acajou du Honduras, Aguano, American mahogany, Americkaans mahonie, Amerikaans mahonie, Aquano de tabasco, Ara putange, Araputanga, Bastard lime, Bay-mahogany, Baywood, Belize mahogany, Big leafed mahogany, Big-leafed mahogany, Bingleaf mahogany, Brazilian mahogany, Broad leaved mahogany, Broad-leaved mahogany, Cabano, Caguano, Campeche, Cao, Caoba, Caoba Americana, Caoba de Atlantico, Caoba de Honduras, Caoba Hondurea, Caoba Hondurena, Caoba mahogany, Caoba roja, Caobilla, Cedro espinoso, Cedro-rana, Central American mahogany, Chacalte, Chiapas, Chiculte, Chiculti, Cobano, Costa Rica mahogany, Costa Rico mahogany, Crura, Cuban mahogany, Flor de veradillo, Gateado, Gaii ngua, Granadillo, Guatemala mahogany, Honduras mahogany, Large leaf mahogany, Large leaved mahogany, Madeira, Mahogany, Mahogany Honduras, Mahoni, Mahonie, Mara, Mogno, Mogno do rio Jurupari, Orura, Palo xopilote, Palo xopliote, Palo zopilote, Peruvian mahogany, Punab, Purab, Red cedar, Red wood, Resadillo, Sisam, Tabasco mahogany, Tzopible, Tzopilote, Tzutzul, Venezuela mahogany, Zopilocuahuil, Zopilote, Zopilozontecomacuahuitl	Latin America, Oceania and S.E. Asia	
Swietenia macrophylla	Bigleaf mahogany		CITES Appendix II
Swietenia mahagoni	Amerikanisches Mahagoni, echtes Mahagoni, Honduras-, Tabasco-, Nicaragua-Mahagoni (DE);,caoba (cAm), aguano (PA, PE, BR); orura (YV); zopilote (MEX); sapotón (SME); yulu (NIC), crura (BOL); acajou d'Amérique (FR), American mahogani, baywood (GB), broadleaf mahogany (US). Acajou, Acajou de Cuba, Acajou de Saint Domingue, Acajou de St. Domingue, Acajou des Antilles, Aguano, Antillen mahogani, Bay mahogany, Caoba, Caoba de Santo Domingo, Caoba Dominicana, Caobilla, Chiculte, Cobano, Cuban mahogany, Curlet mahogany, Dominican mahogany, Echites mahagoni, Gateado, Jamaica mahogany, Kuba mahogany, Madiera, Mahagoni, Mahog, Mahogany, Mahogany du pays, Mahogany petites feuilles, Mahok, Mahoni, Mongo, Orura, Small-leaf mahogany, West Indian mahogany, West Indies mahogany	Central and Latin America, Bahamas, Bolivia, Brazil, Columbia, Cuba, Dominican Republic, Guadelope [France], Haiti, Jamaica, Mexico, Peru, United States, Venezuela	
Tabebuia spp., Tabebuia heptaphylla (Syn.: Tlpe, Tecoma ipe), Tabebuia serratifolia (Syn.: Tecoma serratifolia).	Ipé : Acapro, Akkeja, Akkekeja, Ala-onni, Ala-ore, Alahorre, Alan-che, Alcapro, Alumbre, Amapa, Amapa prieta, Amapa priete, Amapa prieto, Aoka, Arabore, Araguaney, Arahoni, Aravaney, Arawnig, Arawnig-yek, Arco, Arcwood, Arowore, Arra-ore, Arrhonee, Aruain, Bastard lignum vitae, Bethabara, Bois d'ebene verte, Bois d'evilasse, Bow wood, Bow-wood, Caexeta, Canada, Canaguate, Canahuate, Chicala, Cogwood, Coralibe, Cortes, Cortes amarillo, Cortez, Cortez amarillo, Cortez colorado, Cortez de venado, Corteza, Courali, Curari, Curarire, Eban verde, Ebene soufre, Ebene vert, Ebene verte, Echummo, Enbotta-koenatjepre, Flor amarillo, Greenheart, Grenhatti, Grienharti, Groenhart, Groenhati, Guayacan, Guayacan polvillo, Gupariba, Hackia, Hackoyia, Haekia, Hahuache, Hakia, Hakkea, Ijzerhout, Ipe, Ipe amarillo, Ipe cascudo, Ipe de varzea, Ipe do compo, Ipe folhas roxas, Ipe jabotica, Ipe preto, Ipe roxo, Ipe tabaco, Ipe una, Irontree, Ironwood, Konawadranup, Lapachillo tally, Lapacho, Lapacho amarillo, Lapacho blanco, Lapacho cresp, Lapacho negro, Lapacho rosa, Lignum vitae, Lubre, Madera negra, Makagrien, Makka groenhart, Mangienhatti, Mano de leon, Masicaran, Noibwood, Pao d'arco, Pao d'arco amarillo, Pao d'arco roxo, Pau d'Arco, Pau darco, Penda, Polvillo, Poui, Pui, Quebracho, Quiarapaiba, Ranoi, Roble, Roble cinero, Surinam greenheart, Tabebuia, Tahua, Tahuari, Tamura tuiara, Tauary, Taye, Tayi, Urupariba, Verdecillo, Washiba, Wasiba, Wasieba, Wassiba, Wehete, Whoua-whoua, Woile, Xha-hua-che, Yellow guayacan, Yellow poui	Latin America: Bolivia, Brazil, Colombia, Columbia, Ecuador, French Guiana, Guyana, Mexico, Paraguay, Peru, Suriname, Trinidad and Tobago, Venezuela	
Taxus chinensis	Chinese yew		CITES Appendix II
Taxus cuspidata	Japanese yew		CITES Appendix II

Taxus fuana	Chinese yew		CITES Appendix II
Taxus sumatrana	Chinese yew		CITES Appendix II
Taxus wallichiana	Himalayan yew		CITES Appendix II
Tetracentron sinense	Tetracentron		CITES Appendix III
Virola spp.	Baboen, Babun, Banak, Bastard cedar, Bicuiba, Cajuco, Colorada, Fruta dorada, Fruta dorda, Ira rosa, Light virola, Miguelarillo, Palo de sangre, Sangre, Sangre de toro, Sangre palo, Sangredrigo, Sebo, Tapsava, Virola	Central America: Belize, Costa Rica, Guatemala, Honduras, Nicaragua, Panama	
Vitex spp.	laban, guapasa, ketileng, serawet (RI); leban, kulim papa (MAL); garamut (PNG); molawe, bongoog (RP); kyetyo (BUR); tinnok (T); binh linh (VN), (Leban).	Indonesia, Malaysia, Myanmar, Papua New Guinea, Philippines, Solomon Islands, Vietnam	

Sources:

<http://www.greenpeace.org/international/en/campaigns/forests/threats/>

<http://www.illegal-logging.info/uploads/cites-report.pdf>

www.traffic.org/forestry-reports/traffic_pub_forestry9.pdf